



TRADEMARK

INNOVASHelf

ESTABLISHED 2017





OUR STORY

InnovaShelf began in 2017, nestled in the scenic rolling hills of southern Indiana. Based on requests from cabinet dealers for a better floating shelf bracket research began and we soon struck upon a new concept that allowed for quick installation and easy adjustments while still maintaining a classic floating look. We then developed the easily adjustable design into multiple versions for a wide range of applications. The innovation behind these brackets is quickly becoming the new industry standard for floating shelf hardware.

After refining the brackets we also realized that there was a need for quality shelving to match, so we rolled up our sleeves and went to work. Our shelves evidence years of woodworking and finishing experience. The reproduction live edge shelves have an authentic appearance without the liabilities of a traditional live edge, and

our Contempo shelves are miter-locked for seamless corners and superior durability.

Every step of the process—concept to creation—happens on family farms in the Indiana countryside. We build with high quality materials and use cutting edge technology to ensure that the quality is repeatable—bracket after bracket and shelf after shelf. During the production process each part is cut or milled to tight tolerances using specialized equipment, then visually inspected for quality and accuracy, ensuring that your shelves will remain level and durable for a lifetime. We also utilize premium stains and varnishes to ensure a smooth, silky, and durable finish on every shelf. These processes ensure you get a premium quality product—a distinct accent for your home that lasts a lifetime.

For more information, visit www.innovashelf.com.





IDEA GALLERY

InnovaShelf brackets are useful in many applications, including:

- Kitchens
- Family Rooms
- Entryways
- Mantels
- Closets
- Retail Stores
- And more...

See our website at www.innovashelf.com for additional ideas.





MAIN STREET ROASTERS
ETHIOPIAN
—YIRGACHEFFE—
This medium to dark roast coffee is known as some of the highest quality Arabica coffees in the world. The coffee offers a sweet flavor and aroma and a medium-bodied cup.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
ETHIOPIAN
—YIRGACHEFFE—
This medium to dark roast coffee is known as some of the highest quality Arabica coffees in the world. The coffee offers a sweet flavor and aroma and a medium-bodied cup.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
EL SALVADOR
—FARMER DIRECT—
Grown in the high altitude of El Salvador, this medium roast coffee features a full body and a well balanced acidity.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
COLUMBIAN
—SUPREMO—
The highest grade of Columbia coffee, medium roast to produce a perfect cup.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
COLUMBIAN
—SUPREMO—
The highest grade of Columbia coffee, medium roast to produce a perfect cup.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
EL SALVADOR
—FARMER DIRECT—
Grown in the high altitude of El Salvador, this medium roast coffee features a full body and a well balanced acidity.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
L.L. BEANS
A small production lot of medium roast coffee.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM



MAIN STREET ROASTERS
TURTLE SONDAC
—TRUFFLE—
A medium roast coffee with a classic chocolate and caramel flavor.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
APPLE CINNAMON
—STRODEL—
A medium roast coffee with a flavor of fresh baked apple strudel and cinnamon.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
PUMPKIN
—SPICE—
A medium roast coffee with a flavor of pumpkin and spice.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
PUMPKIN
—SPICE—
A medium roast coffee with a flavor of pumpkin and spice.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
BLUEBERRY CHIAO
—CUMOLE—
Medium roast coffee with a fresh, tangy blueberry flavor.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
APPLE CINNAMON
—STRODEL—
A medium roast coffee with a flavor of fresh baked apple strudel and cinnamon.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

MAIN STREET ROASTERS
CREAM
—SANDWICH—
A medium roast coffee with a cream and vanilla flavor.
16 OZ. 100% ARABICA BEANS
WWW.MAINSTREETROASTERS.COM

REPRODUCTION LIVE EDGE SHELVES

- Includes our patented bracket system for a quick install and guaranteed fit.
 - 100% Hardwood Construction.
 - Shelves come with a multi-color finish—the primary color with an accent color brushed on the front edge for additional contrast and realism.
 - Custom sizes and species are available on request.
 - Due to the nature of wood and stain, colors will vary slightly from the colors pictured here. Talk to your dealer for samples.
- Standard depths: 11", 12", 13".
Note: Shelf depth is measured at the widest point.
 - Standard widths: 24", 30", 36", 42", 48".
 - Standard thickness: 2¼"
 - Standard species: Ash, Cherry, Maple, and Quarter Sawn White Oak.
 - Premium textures: Circular Sawn, Band Sawn, Reclaimed.

SPECIES & FINISH OPTIONS



ANTIQUÉ ASH

Shown in Ash. Available only in Ash.



BURNT UMBER

Shown in Cherry. Not available textured.



LONG OAK

Shown Textured. Available in all species & textures.



SABLE

Shown in Maple. Available in all species & textures.



SANNIBEL

Shown Textured. Available in all species & textures.



SEALY

Shown in Maple. Not available textured.



WEATHERED GRAY

Shown in Ash. Available only in Ash or Textured.

UNFINISHED



ASH



CHERRY



MAPLE



Keeping Room

HOME

CONTEMPO SHELVES

- Includes our patented bracket system for a quick install and guaranteed fit.
- Hardwood and Plywood/HDF Construction.
- Miter-locked for seamless corners and superior durability.
- Custom sizes and species are available on request.
- Due to the nature of wood and stain, colors will vary slightly from the colors pictured here. Talk to your dealer for samples.
- Standard Depth: 11".
- Standard Widths: 24", 30", 36", 42", 48".
- Standard Thickness: 2"
- Standard Species: Ash, Cherry, Maple, Rustic Alder, White Oak.
- Premium Species: Rift White Oak, Walnut.
- Premium Textures: Circular Sawn, Band Sawn, Reclaimed.

SPECIES & FINISH OPTIONS



ANTIQUÉ ASH

Shown in Ash. Available only in Ash.



BURNT UMBER

Shown in Maple. Not available textured.



LONG OAK

Shown in Ash. Available in all species & textures.



SABLE

Shown in Maple. Available in all species & textures.



SANNIBEL

Shown Textured. Available in all species & textures.



SEALY

Shown in Ash. Not available textured.



WEATHERED GRAY

Shown in Ash. Available only in Ash or Textured.



PAINT GRADE

Shown in White. Available only in Primed or White.

UNFINISHED



ASH



MAPLE




RUSTIC ALDER

FLOATING SHELF BRACKETS


- Maximum bracket spacing is 32" O.C., with a maximum of 24" overhang outside of brackets (left & right combined).
- Standard arm length is 10". Custom lengths are available from 6"-20". Recommended length is 2" less than finished shelf depth.
- Wood stud, drywall, steel stud, and concrete mounting options are available.
- Detailed spec sheets are available.
- All kits include all hardware necessary for mounting and securing shelves.
- NOTE: Weight limits are for wood stud application. Talk to your dealer for steel, concrete, and drywall weight limits.

BRACKET OPTIONS *(shown with Wood Stud Application)*




T-LOC 3525-14

- Weight limit: 1000 lbs per pair.
- Arm is recessed ¼" from top of plate.




T-LOC 2015-10

- Weight limit: 450 lbs per pair.
- Arm is recessed ¼" from top of plate.



T-LOC 1515-10

- Weight limit: 300 lbs per pair.
- Arm is flush with top of plate.




T-LOC 1510-10

- Weight limit: 250 lbs per pair.
- Arm is recessed ¼" from top of plate.



T-LOC 1575-10

- Weight limit: 200 lbs per pair.
- Arm is recessed ⅜" from top of plate.




ECO 1280-10

- Weight limit: 200 lbs per pair.
- Mounts directly to wall, no plate included.

THE INNOVASHELF DIFFERENCE

The first and easiest question is, "What makes InnovaShelf different?" The secret lies in our patented T-LOC system. T-LOC utilizes a specially designed double-headed lag bolt that slots into the brackets for adjustability and strength. Brackets and arms are crafted from high quality materials for maximum strength and durability.

We offer mounting solutions for wood studs, steel studs, concrete, and drywall. All brackets have an embedded poly block that allows for the shelf to be attached via trim screws or nails, while still allowing for repositioning. These solutions allow you to install a floating shelf that remains stable, but is still easily adjustable even after installation.



AP 1750-10

- Weight limit: 200 lbs per pair.
- Mounts directly to wall, no plate included.
- Powder coated for exposed installation, available in White or Charcoal.


CHARCOAL



SUBSTRATE MOUNTING DIAGRAMS


WOOD STUD

- Kit includes: (2) Brackets, (2) T-LOC plates, (2) double headed lags, (2) structural screws, (2) poly blocks, and (2) trim screws.
- Top is secured by structural screw and bottom is secured by patented double headed lag. Both install directly into stud.




DRYWALL/STEEL STUD

- Kit includes: (2) Brackets, (2) T-LOC plates, (2) heavy duty toggle bolts, (2) adjustment plates, (4) grub bolts, (2) poly blocks, and (2) trim screws.
- Steel Stud: Shelf is secured with a toggle bolt that holds the bracket plate in place. Adjustments are made via a 1" grub screw that tightens against the steel stud.




CONCRETE KIT


- Kit includes: Everything from the Wood Stud kit + (2) concrete anchors with bolts.
- Shelf is secured with a concrete anchor that holds the bracket plate in place. There is an additional adjustment plate that is secured between the plate and the wall. Adjustments are made via a 1/2" grub screw that tightens against the adjustment plate.



- Drywall: Shelf is secured with a toggle bolt that holds the bracket plate in place. There is an additional backer plate that is secured between the plate and the wall. Adjustments are made via a 1/2" grub screw that tightens against the backer plate.



PREMIUM TEXTURES



BANDSAWN



CIRCULAR SAWN



RECLAIMED



Your local dealer: